



Xorel Sleet Embroider

6299W Carnegie Xorel[®] BIOBASED

\$109.00 /yd.

A \$3.00 per yard cut charge applies to orders under 50 yards

Additional tariff may apply. Contact our [Client Experience](#) team for quotes.

Specifications

Backing: X-Protect™ Wall

Backing Note(s): X-Protect Wall: A proprietary backing technology that prevents stains and moisture from passing through the textile face to the wall while allowing moisture vapor to escape from a wall cavity. All Xorel with X-Protect Wall is microvented.

Finish(es): Finish-Free

Performance: Meets or exceeds requirements of a Type II wallcovering under CCC-W-408D

Width: 52" (132 cm)

Repeat: 76" (193 cm) Length x 52" (132 cm) Width
No match required

Weight per Linear Yard: 16.7 oz

Contents: Colors 805, 809, 813, 817, 829: 100% Xorel® (85% Biobased PE, 15% PE), Color 615: 100% Xorel® (91% Biobased PE, 9% PE)

Cleaning Code: WS & BC - Water/Solvent & Bleach Cleanable

Flammability: ASTM E84 Class A / Class 1, Canadian ULC S102, NFPA 265 Room Corner Test

Manufactured In: EU

Warranty: 10 years

ACT Symbols: 

Programs/Partners

Program Guidelines: GSA Advantage

Sustainability

Standards and Certifications: Cradle to Cradle Certified Gold, Cradle to Cradle Material Health Platinum Certification, Environmental Product Declaration (EPD), HHI (Healthier Hospitals Initiative), Kaiser Permanente, LEED, Living Product Certified, MindClick Rated - Leader, Mindful Materials, SCS Indoor Advantage™ Gold, TUV Austria OK biobased - Level 4 (ASTM D6866), USDA Certified Biobased Product

Content: 80% Biobased content derived from rapidly renewable plant based resources


Free of: Antimicrobials, Antimony, Bisphenol A (BPA), Chlorine, DMF, Fluorocarbons, Formaldehyde, Halogenated fire retardants, Heavy metals, Ozone-depleting chemicals, PFC, Phthalates, Plasticizers, PVC, Solvents, Stain resistant finishes

Additional Details: Extremely low VOCs, Inherently Antimicrobial - In accordance with Test Method AATCC 147, No topical finishes, Responsible Return Program, Safely Disposable

Colors



615




805




809



813



817



820