



Xorel Seaspray

6315 Carnegie Xorel®

\$44.00 /yd.

A \$3.00 per yard cut charge applies to orders under 50 yards

Additional tariff may apply. Contact our [Client Experience](#) team for quotes.

Specifications

Type: Tackable, Vertical Partitions

Backing: Unbacked

Backing Note(s): Acrylic: This backing provides a coating to enhance adhesion and prevent bleed through of adhesives (15 yard minimum), Heavy Acrylic: This backing provides a coating to enhance adhesion and prevent bleed through of adhesives and is preferred for heavier duty installs such as moveable wall systems (15 yard minimum), Unbacked: Acoustically transparent, highly tackable, ability to self heal, yarns can "move back" into position. Highly stable on panels and does not react to changes in humidity or moisture.

Available Backing(s): Acrylic, Heavy Acrylic

Finish(es): Finish-Free

Performance: Meets or exceeds requirements of a Type II wallcovering under CCC-W-408D

Width: 56" (142 cm)

Repeat: No match required

Weight per Linear Yard: 9.9 oz

Contents: 75% IFR Xorel®, 25% Modacrylic

Cleaning Code: WS & BC - Water/Solvent & Bleach Cleanable

Flammability: ASTM E84 Class A / Class 1

Manufactured In: EU

Warranty: 10 years

ACT Symbols:    

Programs/Partners

Program Guidelines: GSA Advantage

Sustainability

Standards and Certifications: Cradle to Cradle Certified Silver, HHI (Healthier Hospitals Initiative), LEED, Meets California Indoor Air Quality Specification CA 01350, Mindful Materials, RoHS & Reach compliant, SCS Indoor Advantage™ Gold

Free of: Antimicrobials, Bisphenol A (BPA), Chlorine, DMF, Fluorocarbons, Formaldehyde, Heavy metals, Ozone-depleting chemicals, PFAS, PFC, Phthalates, Plasticizers, PVC, Solvents, Stain resistant finishes

Additional Details: Extremely low VOCs, Inherently flame resistant, No topical finishes, Responsible Return Program, Safely Disposable

Colors



1 2 3 4 5 6 7 8 9 10



11