
Carnegie



Xorel Meteor

6427W \$42.00 /yd. A \$3.00 per yard cut charge applies to orders under 50 yards

Wallcovering Specifications

Backing: X-Protect[™] Wall

Backing Note(s): Acrylic: This backing provides a coating to enhance adhesion and prevent bleed through of adhesives, X-Protect Wall: A proprietary backing technology that prevents stains and moisture from passing through the textile face to the wall while allowing moisture vapor to escape from a wall cavity. All Xorel with X-Protect Wall is microvented., X-Protect: Proprietary Xorel backing technology which prevents stains and moisture from passing through the textile enabling the wall or seating surface to be aggressively cleaned

Finish(es): Finish-Free

Performance: Meets or exceeds requirements of a Type II wallcovering under CCC-W-408D

Width: 52" (132 cm)

Weight per Linear Yard: 16 oz

Contents: 100% IFR Xorel®

Cleaning Code: WS & BC - Water/Solvent & Bleach Cleanable

Flammability: ASTM E84 Class A / Class 1, Canadian ULC S102, NFPA 265 Room Corner Test

Manufactured In: EU

Warranty: 10 years



Programs/Partnerships

Program Guidelines: GSA

Sustainability

Standards and Certifications: Cradle to Cradle Certified Silver, LEED, MindClick Rated - Leader, Mindful Materials, SCS Indoor Advantage[™] Gold

Free of: Antimicrobials, Bisphenol A (BPA), Chlorine, DMF, Fluorocarbons, Formaldehyde, Heavy metals, Ozonedepleting chemicals, PFC, Phthalates, Plasticizers, PVC, Solvents, Stain resistant finishes

Additional Details: Extremely low VOCs, Inherently Antimicrobial - In accordance with Test Method AATCC 147, No topical finishes, Responsible Return Program, Safely Disposable



