BIO-XOREL by carnegie fabrics

Health Product Declaration v2.1

CLASSIFICATION: 097200

created via: HPDC Online Builder

PRODUCT DESCRIPTION: High performing material (Wallcovering, panel, upholstery) sourced from rapidly renewable sugarcane plant, instead of fossil fuels. Patterns: Abacus, Antoinette, Artisan, Axis, Braid, Bridgette, Bridgette, Coco, Coulette, Dash, Deco, Flashback, Fragment, Hoop, Luxe, Moire Stripe, Nexus, Pipeline, Spire, Strie, Tangle, Topiary, Twine, Veneer, Zipper.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Threshold level Residuals/Impurities Are All Substances Above the Threshold Indicated: C Nested Materials Method € 100 ppm Considered Characterized Yes No Basic Method C 1,000 ppm C Partially Percent Weight and Role Provided? Considered Per GHS SDS Threshold Disclosed Per Screened Yes No Not Considered C Per OSHA MSDS Material Using Priority Hazard Lists with Other Results Disclosed? Explanation(s) provided Product for Residuals/Impurities? Identified Yes No Yes No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

POLYETHYLENE (BIO-BASED) [POLYETHYLENE LT-UNK]

Number of Greenscreen BM-4/BM3 contents...... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

The product has been screened and reviewed by 3rd party certification services.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS INDOOR ADVANTAGE GOLD Multi-attribute: CRADLE TO CRADLE gold

Material content migration: MATERIAL HEALTH DECLARARATION PLATINUM

Multi-attribute: FACT CERTIFICATION

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified? PREPARER: Self-Prepared

VERIFIER: C Yes **VERIFICATION #:**

No

SCREENING DATE: 2017-08-02 PUBLISHED DATE: 2017-08-02 EXPIRY DATE: 2020-08-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

POLYETHYLENE (BIO-BASED)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: This product was thoroughly tested for hazardous substances and had it chemical inventory review by 3rd party certification services and no known impurities were found in this product.

OTHER PRODUCT NOTES: Bio portion of the final yarns

POLYETHYLENE					ID: 9002-88-4
%: 100.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Main component	
HAZARDS:	AGENCY(IES) WITH WARNINGS	3:	030		

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This product's chemical inventory has been reviewed by 3rd party certification services and tested for hazardous substances by independent testing labs, and no known impurities were found in this product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS INDOOR ADVANTAGE GOLD

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: ALL FACILITIES

DATE:2016-05-

EXPIRY DATE: 2017-04-30 CERTIFIER OR LAB: Berkeley Analytical

01

ISSUE

https://www.scscertified.com/products/cert_pdfs/CarnegieFabrics 2016 SCS-

IAQ-01468 s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Since 1981 the solution for sustainable, performance oriented interiors has been Xorel Fabrics. Unlike vinyls, Xorel is woven from polyethylene and is chlorine and plasticizer free. It is extremely safe in its manufacture, use and disposal. Xorel Fabrics are incredibly durable, easily cleaned, flame retardant and present none of the environmental problems attributed to vinyl by its critics. In fact, Xorel Fabrics are recognized by Greenpeace as a viable alternative to vinyl.

MULTI-ATTRIBUTE

CRADLE TO CRADLE gold

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: ALL FACILITIES

http://www.c2ccertified.org/products/scorecard/xorel

EXPIRY DATE: 2017-CERTIFIER OR LAB: CRADLE TO ISSUE DATE:2015-11-05 11-05 **CRADLE**

certification and compliance notes: Xorel Fabrics are designed for use as wallcovering, upholstery, and panel fabric for interior finishes. This product is woven from polyethylene yarns, and designed to be durable, easy to clean, and colorfast without the use of finishes or coatings. Xorel is offered in dozens of patterns in hundreds of standard colorways. The biobased version, Xorel® Bio, is made of polyethylene yarn derived from plant-based resources.

MATERIAL CONTENT MIGRATION

MATERIAL HEALTH DECLARARATION PLATINUM

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: ALL

ISSUE DATE:2015-11-

EXPIRY DATE: 2017-

EXPIRY DATE: 2017-

12-31

CERTIFIER OR LAB: CRADLE TO

CERTIFIER OR LAB: NSF

04

26

11-05

CRADLE

CERTIFICATE URL:

CERTIFICATE URL:

http://www.c2ccertified.org/products/mhcertificate/xorel

certification and compliance notes: xorel Fabrics are designed for use as wallcovering, upholstery, and panel fabric for interior finishes. This product is woven from polyethylene yarns, and designed to be durable, easy to clean, and colorfast without the use of finishes or coatings. Xorel is offered in dozens of patterns in hundreds of standard colorways. The biobased version, Xorel® Bio, is made of polyethylene yarn derived from plant-based resources.

MULTI-ATTRIBUTE

FACT CERTIFICATION

ISSUE DATE:2014-03-

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: ALL FACILITIES

CERTIFICATE URL:

http://info.nsf.org/Certified/Sustain/ProdCert/C0140156-

101.pdf

CERTIFICATION AND COMPLIANCE NOTES: Multi-attribute review



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

Bio-Xorel is a Polyethylene material with no known residuals or impurities.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: carnegie fabrics
ADDRESS: 110 north center avenue

WEBSITE: WWW.CARNEGIEFABRICS.COM

CONTACT NAME: CHARLES GRIFFIN

TITLE: DIRECTOR of TECHNICAL SERVICES.

PHONE: **5163073756**

EMAIL: CGRIFFIN@CARNEGIEFABRICS.COM

KEY

OSHA MSDS

Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS

Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information

from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through

transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.