

HPD UNIQUE IDENTIFIER: 28720

CLASSIFICATION: 12 22 13 Draperies

PRODUCT DESCRIPTION: Adiago 4442, Affirmation 4126, Alex 101210, Allegro 100400, Alphacoustic 100750, Cadence 4498, Canopy 4238, Chamois (118") 5402, Chamois (59") 5400, Chamois Ivy 100767, Chamois Loop 100765, Chamois sky 100770, Chordacoustic 4768, Corso UN 100315, Crossing 4356, Curve 4372, Deltacoustic 101125, Don 100156, Emerald 36715, Entrada 101545, Essence 4134, Foundation 4360, Gammacoustic 100885, Globe 101565, Grasslands 4834, Halina 36915, Halina Stripe 36916, Herba 101065, Link 101560, Malta 100590, Naxos 100395, Ola 100140, Porto Fino 101595, Porto Flora 101605, Porto Largo 101600, Prato (118") 101276, Prato (59") 101275, Prima 100297, Primacoustic 101310, Printacoustic Horizon 101625, Printacoustic Moment 101630, Reflectacoustic 101305, Rigato 100211, Santana 100235, Scherzo 2412, Semiramis 36990, Siam 101670, Signature 4392, Silent 101695, Soprano 5500, Space 101555, Stellar 101745, Terzacoustic 101315, Turmalin 36710, Zetacoustic 101130, Betacoustic 100755, Effervesence 4560, Ombre 4588, Pureacoustic 4770, Scott 5074, Aura 4574, Ultracoustic 4784, Shiftacoustic 4786, Muteacoustic 4788, Sigmacoustic 101940, Usus 4725, Jaspis 36670, Focus 101690, Sonor 5910, Solio 101920, Sinfonia 100300, Sinfoniacoustic 101755, Shari 100995, Saphir Plus 101150, Salina 101110, Printacoustic Mountain 101620, Phantom Plus 101795, Megacoustic 101835, Lord 100130, Velos II, Corfu, Guard III, Palladio, Sereno, Shawdo IV, Silent Light, Salare Plus, Udine, Universal V, Zenith, Zilina, Lano, Alu Tex, Cloud, Face, Guard, Protect, Shade Dense, Shade Medium, Shadow, Shadow Medium, Shelter, Shine Two, Umbria IV, Umbria IV wide Width, Ultra V, Usus III, Jewel, Sonor II R, Calvaro, Giulietta, Shari Circle, Gitta, Hush

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities</b>	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Considered	<b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input checked="" type="radio"/> Not Considered	<i>% weight and role provided for all substances.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<b>Explanation(s) provided for Residuals/Impurities?</b>	<b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product			<b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**POLYESTER FABRIC [ POLYESTER-12 NoGS ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... NoGS

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

There are no additional finishes or backings.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-05-17

PUBLISHED DATE: 2022-06-16

EXPIRY DATE: 2024-05-17

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### POLYESTER FABRIC

?: 100.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: NO KNOWN RESIDUALS OR IMPURITIES IN THIS PRODUCT.

HPD URL: <http://www.carnegiefabrics.com>

OTHER MATERIAL NOTES: This product consists of polyester yarns and dyes used to color these yarns. There are no additional finishes on this product.

### POLYESTER-12

ID: 847147-74-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-17 11:40:56

?: 100.0000 - 100.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: 100% Polyester Trevira CS

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-05-01

EXPIRY DATE: 2019-05-01

CERTIFIER OR LAB: Berkeley Analytical

APPLICABLE FACILITIES: all

CERTIFICATE URL: <https://berkeleyanalytical.com/lab-services/voc-emissions-testing/>

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

### APPLICABLE PATTERNS:

Adiago 4442, Affirmation 4126, Alex 101210, Allegro 100400, Alphacoustic 100750, Cadance 4498, Canopy 4238, Chamois (118") 5402, Chamois (59") 5400, Chamois Ivy 100767, Chamois Loop 100765, Chamois sky 100770, Chordacoustic 4768, Code 5376, Corso UN 100315, Crossing 4356, Curve 4372, Deltacoustic 101125, Don 100156, Emerald 36715, Entrada 101545, Essence 4134, Foundation 4360, Gammacoustic 100885, Globe 101565, Halina 36915, Halina Stripe 36916, Herba 101065, Link 101560, Malta 100590, Naxos 100395, Ola 100140, Porto Fino 101595, Porto Flora 101605, Porto Largo 101600, Prato (118") 101276, Prato (59") 101275, Prima 100297, Primacoustic 101310, Printacoustic Horizon 101625, Printacoustic Moment 101630, Reflectacoustic 101305, Rigato 100211, Santana 100235, Scherzo 2412, Semiramis 36990, Siam 101670, Signature 4392, Silent 101695, Soprano 5500, Space 101555, Stellar 101745, Terzacoustic 101315, Turmalin 36710, Zetacoustic 101130, Betacoustic 100755, Effervescence 4560, Ombre 4588, Pureacoustic 4770, Scott 5074, Aura 4574

**MANUFACTURER INFORMATION**

MANUFACTURER: **carnegie fabrics**  
 ADDRESS: **110 N CENTRE AVE**  
**CARNEGIE FABRICS**  
**ROCKVILLE CENTER NY 11570, United States**  
 WEBSITE: **110 N CENTRE AVE, CARNEGIE FABRICS**

CONTACT NAME: **CHARLES GRIFFIN**  
 TITLE: **DIRECTOR of TECHNICAL SERVICES**  
 PHONE: **5163073756**  
 EMAIL: **CGRIFFIN@CARNEGIEFABRICS.COM**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*