

HPD UNIQUE IDENTIFIER: 47791381504

CLASSIFICATION: 09 72 00 Wall Coverings

PRODUCT DESCRIPTION: Arrow 6031, Everest Signature 6035, Bamboo signature 6037, Trace 6039, Haze 6041, Botanical Signature 6043, Shatter Signature 6045, Comet 6033, Roads Signature 6047, Chesterfield Signature 6063, Switch Embroider 6195, Spyro Embroider 6223, Cycle 6227, Switch 6237, Kaleidoscope 6253, Fractal Emboss 6261, Cane Embroider 6273, Linen 6291, Nile Emboss 6293, Meteor 6427, Flux 6557, Quarry 6619, Pop Emboss 6647, Pixie Applique 6841, Cascade Applique 6843, Gamma 6875, Herringbone 6879, Coco Couture 6285 (Color #748), Slide 6717, Moire Stripe Couture 6283 (Color #752), Ellipse Embroider 6105, Satellite Embroider 6103, Limestone 6107

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Completed in 1 of 1 Materials	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product			Identified <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

XOREL NON-BIO [POLYETHYLENE LT-UNK POLYPROPYLENE LT-P1 ANTIMONY TRIOXIDE BM-1 | MUL | CAN | SKI | EYE | MAM | AQU 1,3-PROPANEDIAMINE, N1,N1'-1,2-ETHANEDIYLBIS-, POLYMER WITH 2,4,6-TRICHLORO-1,3,5-TRIAZINE, REACTION PRODUCTS WITH N-BUTYL-2,2,6,6-TETRAMETHYL-4-PIPERIDINAMINE LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Available Backings : Unbacked, X-Protect Wall™, X-Protect Sit™, Acrylic Backed

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS INDOOR ADVANTAGE GOLD : CRADLE TO CRADLE SILVER

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2023-11-13

PUBLISHED DATE: 2023-11-13

EXPIRY DATE: 2026-11-13

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

XOREL NON-BIO

#: 100.0000 - 100.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: NO KNOWN RESIDUALS OR IMPURITIES IN THIS PRODUCT.

OTHER MATERIAL NOTES: This product has been reviewed by 3rd party testing services and tested at independent testing labs and there are no known impurities.

POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-11-13 7:21:02

#: 90.0000 - 94.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: 100% IFR Xorel

POLYPROPYLENE

ID: 9003-07-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-11-13 7:21:02

#: 5.0000 - 5.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: BASE YARN

ANTIMONY TRIOXIDE

ID: 1309-64-4

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals

SUBSTANCE NOTES: OPTIONAL FR ADDITIVE ADDED TO POLYMER MASTER BATCH PRIOR TO YARN EXTRUSION

1,3-PROPANEDIAMINE, N1,N1'-1,2-ETHANEDIYLBIS-, POLYMER WITH 2,4,6-TRICHLORO-1,3,5-TRIAZINE, REACTION PRODUCTS WITH N-BUTYL-2,2,6,6-TETRAMETHYL-4-PIPERIDINAMINE

ID: 136504-96-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-11-13 7:21:03	
%: 0.0000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions	

SUBSTANCE NOTES: UV STABILIZER

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS INDOOR ADVANTAGE GOLD

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: ALL FACILITIES
CERTIFICATE URL:
https://www.scs-certified.com/products/cert_pdfs/CarnegieFabrics_2016_SCS-IAQ-01468_s.pdf

ISSUE DATE: 2022-11-25
EXPIRY DATE: 2024-11-22
CERTIFIER OR LAB:
Berkeley Analytical

CERTIFICATION AND COMPLIANCE NOTES: Since 1981 the solution for sustainable, performance oriented interiors has been Xorel Fabrics. Unlike vinyls, Xorel is woven from polyethylene and is chlorine and plasticizer free. It is extremely safe in its manufacture, use and disposal. Xorel Fabrics are incredibly durable, easily cleaned, flame retardant and present none of the environmental problems attributed to vinyl by its critics. In fact, Xorel Fabrics are recognized by Greenpeace as a viable alternative to vinyl.

MULTI-ATTRIBUTE

CRADLE TO CRADLE SILVER

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: ALL
CERTIFICATE URL:
<http://www.c2ccertified.org/products/scorecard/xorel>

ISSUE DATE: 2023-07-14
EXPIRY DATE: 2024-07-19

CERTIFIER OR LAB: CRADLE TO CRADLE

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The substances listed are all added to the master batch and are in no way harmful in the final yarns and fabric.

MANUFACTURER INFORMATION

MANUFACTURER: carnegie fabrics
ADDRESS: 110 N CENTRE AVE
CARNEGIE FABRICS
ROCKVILLE CENTER, New York 11570-3934
COUNTRY: United States

WEBSITE: <http://www.carnegiefabrics.com>
CONTACT NAME: CHARLES GRIFFIN
TITLE: DIRECTOR of TECHNICAL SERVICES.
PHONE: 5163073756
EMAIL: CGRIFFIN@CARNEGIEFABRICS.COM

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

