

HPD UNIQUE IDENTIFIER: 64740153344

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: Facade 4754, Stack 4756, Passage 4758, Binary 4792, Lineup4766, Jolt 4790

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Completed in 1 of 1 Materials	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<b>Explanation(s) provided for Residuals/Impurities?</b>	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product			<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1  
Nanomaterial ... No

**NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**

INVENTORY AND SCREENING NOTES:

**GREENSCREEN SCORE | HAZARD TYPE**

**POLYETHYLENE [ POLYETHYLENE LT-UNK POLYPROPYLENE LT-P1  
ANTIMONY TRIOXIDE BM-1 | MUL | CAN | SKI | EYE | MAM | AQU 1,3-  
PROPANEDIAMINE, N1,N1'-1,2-ETHANEDIYLBIS-, POLYMER WITH  
2,4,6-TRICHLORO-1,3,5-TRIAZINE, REACTION PRODUCTS WITH N-  
BUTYL-2,2,6,6-TETRAMETHYL-4-PIPERIDINAMINE LT-P1 | MUL ]**

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: SCS Indoor Advantage Gold - + Formaldehyde Free

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-08-21

PUBLISHED DATE: 2023-08-21

EXPIRY DATE: 2026-08-21

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### POLYETHYLENE

#: 100.0000 - 100.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: NO KNOWN RESIDUALS OR IMPURITIES IN THIS PRODUCT.

OTHER MATERIAL NOTES: 100% IFR Xorel

### POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-21 6:49:41

#: 90.0000 - 94.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: 100% IFR Xorel

### POLYPROPYLENE

ID: 9003-07-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-21 6:49:42

#: 1.0000 - 2.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: BASE YARN

### ANTIMONY TRIOXIDE

ID: 1309-64-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-08-21 6:49:42

#: 1.0000 - 2.0000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

SUBSTANCE NOTES: OPTIONAL FR ADDITIVE ADDED TO POLYMER MASTER BATCH PRIOR TO YARN EXTRUSION

**1,3-PROPANEDIAMINE, N1,N1'-1,2-ETHANEDIYLBIS-, POLYMER WITH 2,4,6-TRICHLORO-1,3,5-TRIAZINE, REACTION PRODUCTS WITH N-BUTYL-2,2,6,6-TETRAMETHYL-4-PIPERIDINAMINE**

ID: 136504-96-6

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2023-08-21 6:49:42</b>		
%: <b>0.0000 - 1.0000</b>	GreenScreen: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Core Restrictions		

SUBSTANCE NOTES: UV STABILIZER

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### SCS Indoor Advantage Gold - + Formaldehyde Free

CERTIFYING PARTY: Third Party

ISSUE DATE: 2023-05-01

CERTIFIER OR LAB: SCS

APPLICABLE FACILITIES: ALL

EXPIRY DATE: 2024-05-01

CERTIFICATE URL:

[https://www.scsglobalservices.com/certified-green-products-guide?pd\\_pid=99](https://www.scsglobalservices.com/certified-green-products-guide?pd_pid=99)

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Xorel Fabrics are designed for use as wallcovering, upholstery, and panel fabric for interior finishes. This product is woven from polyethylene yarns, and designed to be durable, easy to clean, and colorfast without the use of finishes or coatings. Xorel is offered in dozens of patterns in hundreds of standard colorways. The bio-based version, Xorel® Bio, is made of polyethylene yarn derived from plant-based resources.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** carnegie fabrics  
**ADDRESS:** 110 N CENTRE AVE, CARNEGIE FABRICS  
 110 N CENTRE AVE, CARNEGIE FABRICS  
 ROCKVILLE CENTER NY 11570, United States  
**WEBSITE:** WWW.CARNEGIEFABRICS.COM

**CONTACT NAME:** CHARLES GRIFFIN  
**TITLE:** DIRECTOR of TECHNICAL SERVICES  
**PHONE:** 5163073756  
**EMAIL:** CGRIFFIN@CARNEGIEFABRICS.COM

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

