





# Carnegie

Hillside 8184

HIGH PERFORMANCE  
NONWOVENS

**USES**  
Wallcovering

**CONTENTS**  
Digitally Printed TPO Technology -  
90% Thermoplastic Olefin,  
10% Post Consumer Recycled Glass



Shown on front

31



30



34



32



33

USES	Wallcovering
WIDTH	51 in / 129.5 cm
CONTENTS	Digitally Printed TPO Technology - 90% Thermoplastic Olefin, 10% Post Consumer Recycled Glass
REPEAT	68 in (172.72 cm) length, full width Straight Hang / No Match Required
BACKING	Nonwoven
FLAME RETARDANCY	ASTM E84 Class A / Class 1 Canadian ULC S102
ECO INFO	Meets the requirements of Section 01350, California State Building Guidelines for Indoor Environmental and Air Quality
PERFORMANCE	Meets or exceeds requirements of a Type II wallcovering under CCC-W-408D
CLEANING CODES	W & BC - Water & Bleach Cleanable
NOTES	©Copyright 2021 Carnegie Fabrics



WHY CARNEGIE TPO?

- PVC-Free
- Clean Thermoplastic Olefin Technology
- No chlorine, formaldehyde, heavy metals, halogenated flame retardants
- All inks and coatings are water based
- Type II performance
- Qualifies for LEED Indoor Air Quality credits
- Superior stain resistance and cleanability
- Safely disposable

Carnegie is 100% PVC-Free.

