


Drop Ceiling Vertically Suspended Acoustical Baffles

Using Cables



Before Getting Started

Check Your Panels

Make sure you received everything you ordered. Please let us know if you have any questions or concerns by calling 1.800.727.6770 or visiting xorelartform.com.

Prep Your Work Area

Clear the area of all furniture. If the room where the baffles are going to be installed has a hard floor, clean the floor, or cover it in construction paper to protect the panels when laying them face down.

Note

If there are obstructions on the ceiling (water pipes, electrical boxes, etc), the cables can be relocated 1/4" to 1/2" off center.

We recommend having a rendering/layout of the final design on site for reference during installation.

Packaged Components



Baffles with Pendants Attached



Stickers



T-Bar clip
2 for each baffle



Allen Key & Set screw
2 screws per baffle




8' Coated Wire
2 for each baffle

Additional Tools Needed

Vertical Spot Laser
Wide Field Laser
Ceiling Mounting Materials
Wirecutters
Pliers


Installation Steps

01



Set a reference line on the floor.


02



Reference chart within this guide and note the hanging point measurements (D and E) for the shape and size baffle being installed.

D = distance between each hanging cable (aka center points)
E = distance between the end of the baffle and closest hanging cable (aka outer points)


03



Using either the stickers provided or tape, begin marking the anchor points on the floor using the (E) measurements, directly under the location the baffle will be installed. Repeat until each baffle is accounted for.

Place the vertical spot laser on top of each center point sticker/tape, and mark the anchor points on the dropped ceiling grid (2 points per baffle).


04



Once both points have been marked, use measurement (D) to ensure the accuracy of spacing between anchor points. Attach all the T-Bar clips to the anchor point on the grid by pressing upward and twisting (4A, 4B). Ensure the T-Bar clip is locked in place.


Repeat until all the T-Bar clips are attached to the ceiling.

05




Insert one end of the cable into the pendant attached to the T-Bar clip. Secure the cable using the setting screw and allen key.

06









Set the wide field laser at the C measurement and cut each cable. Reference chart within this guide for the (B) measurement of the shape and size baffle being installed. Calculate the sum of the (B) measurement and desired finished suspended baffle baseline height (A). Once determined (B+A) subtract that number from current ceiling height, this will determine the cut length (C) of the installed cables.

07



Insert the end of the cable into the pendants attached to the baffle. Secure the cable using the set screw and allen key.

Installation Measurements



- (A) Distance between finished baffle baseline height and floor
- (B) Height of baffle shape from bottom edge to hanging pendant
- (C) Length of cut cable
- (D) Distance between each hanging cable (aka center points)
- (E) Distance between end of baffle and closest hanging cable (aka outer points)

	Panel Width (inches)	D	E	B
Circle	24 (L)	14	5	22.25
	30 (XL)	18	6	27.5
	40 (2XL)	24	8	36.5
	47.5 (3XL)	28.5	9.5	43.25
Diamond (H)	32 (L)	19	6.5	13.5
	40 (XL)	24	8	16.75
	47.5 (2XL)	28.5	9.5	19.75
Diamond (V)	18.5 (L)	11	3.75	23
	23 (XL)	14	4.5	29.5
	27.5 (2XL)	16.5	5.5	33.75
Flip	24 x 16 (L)	14	5	16.5
	24 x 24 (XL)	14	5	24.5
	48 x 16 (2XL)	29	9.5	16.5
	48 x 24 (3XL)	29	9.5	24.5
Hex	24 (L)	14	5	19.5
	32 (XL)	19	6.5	25.5
	40 (2XL)	24	8	31.75
	47.5 (3XL)	28.5	9.5	37.5
Ripple	48 x 16	24	12	16.5

Contact Us

Email
info@xorelartform.com

Phone
1-800-727-6770

All Xorel fabrics are C2C Certified.
Visit xorelartform.com for more information.

© 2019 Carnegie Fabrics, Inc. Printed on recycled paper.
Xorel is a registered trademark of Carnegie Fabrics Inc.
Xorel registered trademark and license to distribute is granted by permission of Carnegie Fabrics Inc. USA