CARNEGIE-ARTFORM-ACOUSTICAL-HPD by carnegie fabrics

HPD UNIQUE IDENTIFIER: 21104 CLASSIFICATION: 09 86 13 SOUND ABSORBANT PANEL PRODUCT DESCRIPTION: DECORATIVE ACOUSTICAL PANELS

Health Product Declaration v2.2

created via: HPDC Online Builder

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- Material
- C Product

Threshold level

• 100 ppm

C Other

C 1,000 ppm

C Per GHS SDS

Residuals/Impurities Considered in 0 of 1 Materials

Explanation(s) provided

Residuals/Impurities

for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC • Yes C No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

DECORATIVE PANEL [MINERAL WOOL, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT > 18 % BY WEIGHT LT-UNK STARCH LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK Nanomaterial ... No INVENTORY AND SCREENING NOTES: ACOUSTICAL SUBSTRATE Glass Mineral Wool with ECOSE® Techno

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CHPS Low Emitting Materials Table - 2009

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-07-23 PUBLISHED DATE: 2020-07-23 EXPIRY DATE: 2023-07-23 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

DECORATIVE PANEL		%: 100.0000 - 100.0000					
MATERIAL THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES CONSIDERED: No		MATERIAL TYPE: Geologically Derived			ived Material
RESIDUALS AND IMPURITIES N	IOTES: TH	ERE ARE NO KNOWN IMF	PURITIES FOR	R RESIDUA	LS		
OTHER MATERIAL NOTES:							
MINERAL WOOL, BIOIN ALKALI EARTH OXIDE (AND/OR WITH ALKALINE O) > 18 % BY WEIGHT					ID: 65997-17-3
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2020-07-23			
%: 82.0000 - 100.0000		GS: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE	: Structure
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS			
None found				l	No warning	s found on HPD Pr	iority Hazard Lists
SUBSTANCE NOTES:							
-							
STARCH							ID: 9005-25-8
HAZARD SCREENING METHOD:	Pharos C	hemical and Materials Library	HAZARD SCF	REENING DATE:	2020-07-2	23	
%: 0.0000 - 18.0000		GS: LT-UNK	RC: None	NANO: NO	SUBSTA	NCE ROLE: Structu	re component
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS			
None found					No warning	s found on HPD Pr	iority Hazard Lists
SUBSTANCE NOTES: Therm	no set, iner	t polymer bonding agent derive	ed from plant				

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CHPS Low Emitting Materials Table - 2009				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: NEW YORK CITY CERTIFICATE URL:	ISSUE DATE: 2020- 07-23	EXPIRY DATE: 2021- 07-30	CERTIFIER OR LAB: BERKELEY ANALYITCAL		

CERTIFICATION AND COMPLIANCE NOTES:

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVE

HPD URL: https://www.dap.com/products-projects/productcategories/adhesives/construction-remodeling/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: FOR QUICK GRAB INSTALLATION

Section 5: General Notes

aRTFORM is a versatile acoustical tiling system that combines the premier high performance interior textile Xorel with proven acoustical functionality.

MANUFACTURER INFORMATION

MANUFACTURER: carnegie fabrics ADDRESS: 110 north center avenue **Rockville Centre New York 11570, United States** WEBSITE: https://www.xorelartform.com/about/

CONTACT NAME: CHARLES GRIFFIN TITLE: DIRECTOR PHONE: 5166786770 EMAIL: cgriffin@carnegiefabrics.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- **AQU** Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity **GEN** Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity **MUL** Multiple **NEU** Neurotoxicity NF Not found on Priority Hazard Lists **OZO** Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) **REP** Reproductive **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity **UNK** Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

GreenScreen (GS)

BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (due to insufficient data) LT-P1 List Translator Possible 1 (Possible Benchmark-1)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-3 Benchmark 3 (use but still opportunity for improvement)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content **UNK** Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

CARNEGIE-ARTFORM-ACOUSTICAL-HPD hpdrepository.hpd-collaborative.org