




Xorel Artform®

Xorel Artform is a versatile acoustical panel system that combines the beauty and performance of Xorel textiles with proven sound absorbing capabilities to transform interior wall and ceiling spaces in form and function without disruption.

Wall/Ceiling Mounted and Horizontal Suspension Applications


SHAPES & SIZES

Arc



Circle / Circle 3D


Standard and 3D shapes share the same dimensions



Cross Small Medium Large Designed to also work together. Designed to also work together. Designed to also work together. Designed to also work together.

Diamond / Diamond 3D


Standard and 3D shapes share the same dimensions



Flip



Wall/Ceiling Mounted and Horizontal Suspension Applications




Wall/Ceiling Mounted and Horizontal Suspension Applications


SHAPES & SIZES

Plank Ridge Small Medium Large 2XLarge XLarge 3XLarge Small Medium Large XLarge 2XLarge 3XLarge 20 " 20" 23 " 23" 23 " 46" 46" 46" 46" 46" 16"1 17 1/2"1 15"1 16"1 17 ½"I I 2 1/4" I 133/4"1 I 6" I I 10" I 12 1/4" 1 13 ³/4" I 6" I

Ripple




Scale




Square / Square 3D


Standard and 3D shapes share the same dimensions



Tall Hex




Valley



Waveline / Waveline 3D


Standard and 3D shapes share the same dimensions



Vertical Suspension Application (Baffles)


SHAPES & SIZES

Circle




Diamond Vertical

Flip




Diamond Horizontal

Hex




Ripple



2XLarge

Dual-Sided Partition Application (Cascade)


SHAPES & SIZES



Dual-Sided Partition Application (Connect)

SHAPES & SIZES

Specified by End-user 18" 93"



Specified

-.75"

97.5"

by End-user

Substrate Options and Acoustical Performance

Xorel Artform is available in three substrates: Quiet-Core™, Quiet-Core Plus™ and Mi-Core™


Quiet-Core™

This acoustical substrate is sound absorbing, formaldehyde-free and manufactured with 20% post-consumer recovered materials. It is available in a 1" thickness and used for all 3D shapes. It meets ASTM E84 Class A/Class 1.

Not recommended as a tackable surface.

Acoustical Performance

250Hz	500Hz	1000Hz	2000Hz	4000Hz	NRC
.25	.84	1.06	1.03	.99	.80




Quiet-Core Plus[™]

Quiet-Core Plus is a tackable and acoustical solution. Constructed with a 1/8" high density substrate of inorganic minerals & wool blend fastened to the face of the standard Quiet-Core panel. This substrate provides tackability (all 3D shapes are not tackable) and exceptional acoustical

Acoustical Performance

250Hz	500Hz	1000Hz	2000Hz	4000Hz	NRC
.53	1.07	.92	.68	.55	.80




Mi-Core™

This **tackable** substrate offers moderate acoustical properties. Mi-Core is constructed with inorganic minerals and fibers making it resistant to moisture and warping. **Mi-Core** is a **dense material recommended for high traffic areas.** It is available in $\frac{1}{2}$ " & $\frac{3}{4}$ " thickness. It meets ASTM E84 Class A/Class 1.

3D shapes are NOT available in Mi-Core Substrate.

Acoustical Performance

250Hz	500Hz	1000Hz	2000Hz	4000Hz	NRC
.18	.31	.36	.41	.46	.30



Xorel Textile Options


SOLIDS AND TEXTURES





Zipper

JACQUARDS



Silhouette

Embroider

Sleet

Embroider

Switch

Embroider

Veneer Emboss

WALL MOUNTED INSTALLATION

Fast and easy to install with little disruption or major clean up, Xorel Artform is the optimal solution to address post-occupancy acoustical issues. Panels are lightweight and install simply with a Quick Grab adhesive, 3M Command™ strips or Velcro® fasteners, eliminating the high labor costs associated with rail and hardware systems.

Flush Mounting Options

Quick Grab

Quick Grab adhesive is a VOC-compliant construction adhesive with very low odor for little to no off-gassing. It fits standard caulk guns for easy installation.

Quick Grab Concrete

Xorel Artform can be installed on flat and smooth concrete surfaces with Quick Grab Concrete. Use on highly textured surfaces could potentially result in uneven installation.

3M Command™ Strips

Command Strip install method enables the product to be mounted securely and then removed with no damage to the panels or painted wall. Panels then can be boxed and transported to the next location and mounted again; even in a new configuration.

Velcro® Fasteners

Velcro fasteners are also offered as a flexible mounting option.

To ensure complete customer satisfaction and achieve superior installation results, a Preferred Installer Network of vetted and trained professionals expert in the capabilities, ordering and installation practice of Xorel Artform is available as an added service.



CEILING MOUNTED INSTALLATION

The ability to horizontally hang panels or panel groupings to reduce reflected sound opens up the opportunities for creative acoustical solutions overhead. Xorel Artform acoustic Quiet-CoreTM panels are lightweight and can be flushmounted onto sheetrock and concrete ceilings or suspended. Suspension mounting in tiled configurations or single panels is simple when ordered with our ready-to-fasten hardware system.

Flush Mounting Options

Quick Grab

Quick Grab adhesive is a VOC-compliant construction adhesive with very low odor for little to no off-gassing. It fits standard caulk guns for easy installation.

Quick Grab Concrete

Xorel Artform can be installed on flat and smooth concrete surfaces with Quick Grab Concrete. Use on highly textured surfaces could potentially result in uneven installation.

Horizontal Suspension

Xorel Artform panels are manufactured with ready-to-fasten hardware for horizontal ceiling suspension. Installation materials, including hanging rods, ceiling plates and joiner strips are included in each box set.

Tiled Suspension: to ensure stability, panels must be suspended in groups of 3 panels or more.

Ceiling plate and rod hardware is paintable, Krylon dual paintprimer spray is recommended. Rod hardware must be primed prior to painting.

Not available in Small size shapes or the Cross shape.



Individually Suspended Panels

VERTICALLY SUSPENDED BAFFLE INSTALLATION

Vertically suspended ceiling baffles not only open up design possibilities but also allow for sound absorption on both sides for increased sound clarity. Especially suited for large spaces or areas with limited wall space, baffles can be vertically suspended using hanging rods or cables on all ceilings, including drop ceilings.

Suspension Mounting Options

Ceiling Vertically Suspended Baffles Using Cables

Xorel Artform baffles are manufactured with readyto-fasten hardware for ceiling suspension. Installation materials, including *cables and pendants*, for vertically suspended baffles are included in each box set.

Ceiling Vertically Suspended Baffles Using Rods

Xorel Artform baffles are manufactured with readyto-fasten hardware for ceiling suspension. Installation materials, including *hanging rods*, for vertically suspended baffles are included in each box set.



Ceiling Vertically Suspended Baffles Using Cables

Drop Ceiling Vertically Suspended Baffles Using Cables

Xorel Artform baffles are manufactured with ready-tofasten hardware for drop ceiling suspension. Installation materials, including *cables and T-bar clips*, for drop ceiling suspension are included in each box set.

Drop Ceiling Vertically Suspended Baffles Using Rods

Xorel Artform baffles are manufactured with ready-tofasten hardware for drop ceiling suspension. Installation materials, including *T-bar clips and rod hardware*, for drop ceiling suspension are included in each box set.



Drop Ceiling Vertically Suspended Baffles Using Cables

VERTICALLY SUSPENDED DUAL-SIDED PARTITION INSTALLATION

Xorel Artform Cascade and Connect provides a bold interior statement that effectively divides open spaces. Especially suited for large spaces or areas with limited wall space, dual-sided partitions can be vertically suspended using cables on all ceilings, including drop ceilings.

Suspension Mounting Options

Ceiling Vertically Suspended Dual-Sided Partitions Using Cables

Xorel Artform Cascade and Connect are manufactured with ready-to-fasten hardware for ceiling suspension. Installation materials, including cables and pendants, for the vertically suspended partitions are included in each box set.



Ceiling Vertically Suspended Partitions Using Cables

Drop Ceiling Vertically Suspended Dual-Sided Partitions Using Cables

Xorel Artform Cascade and Connect are manufactured with ready-to-fasten hardware for drop ceiling suspension. Installation materials, including cables and T-bar clips, for drop ceiling suspension are included in each box set.



Drop Ceiling Vertically Suspended Partitions Using Cables

Hardware for Cascade

Cables and pendants connect the baffles vertically with pre-attached tabs. Available in silver, white or black finish.



Hardware for Connect

Acorn nuts and 0.5" studs connect the baffles horizontally and vertically with pre-attached tabs. Available in silver, white or black finish.



INSTALLATION CHART

Arc	Wall Mounted	Ceiling Mounted	Ceiling Horizontally Suspended—Tiled	Ceiling Horizontally Suspended—Individual	Ceiling Vertically Suspended Baffles	Ceiling Vertically Suspended Cascade	Ceiling Vertically Suspended Connect
Small	•	•					
Medium	•	•	•				
Large	•	•	•				
Circle + Circle 3D							
Small	•	٠					
Medium	•	•	•	•			•
Large	•	•	•	•	•	•	
X-Large	•	•	•	•	•		
2X-Large							
3X-Large	•	•	•	•	•		
Mounted Kit / 2(S), 2(M), 1(L), 1(XL)							
Horizontal Suspended Ceiling Kit / 2(M), 2(L), 1(XL), 1(2XL)	•	•	•	•			
Vertical Suspended Ceiling Kit / 2(L), 2(XL), 1(2XL), 1(3XL)					٠		
Criss							
Small	•	•					
Medium	•	•	•				
Large	٠	٠	٠	•			
Cross							
Small	•	•					
Medium	•	•					
Large							
X-Large	•	•					
Diamond + Diamond 3D							
Small	•	•					
Medium	•	•	•				
Large							•
X-Large	•	•	•	•	•		
2X-Large	٠	٠	٠	•	•		
Flip							
Large	•	•	•	•	•	•	
X-Large	•	•	•	•	•		
2X-Large	•	•	•	•			
3X-Large	•	•	•	•	•		
Hex + Hex 3D Small							
Medium	•	•		•			•
			•	•			•
Large	•	•			•		
X-Large	•	•	•	•	•		
2X-Large	•		•		•		
3X-Large	•	•	•	•	•		

						1	
	Wall Mounted	Ceiling Mounted	Ceiling Horizontally Suspended—Tiled	Ceiling Horizontally Suspended—Individual	Ceiling Vertically Suspended Baffles	Ceiling Vertically Suspended Cascade	Ceiling Vertically Suspended Connect
Peak							
Small	•	•					
Medium	•	•	•				
Large	•	•	•				
X-Large	•	•	•				
Plank							
Small	•	•					
Large	•	•	•				
Ridge							
Small							
Medium							
Large	•	٠					
X-Large	•	•					
2X-Large	•	٠					
3X-Large	•	•					
Ripple Kit / 1 row 6 panels	•	•			•		
Square + Square 3D							
Small	•	•	•	•			
Large Scale							
Small	•	•					
Medium	•	•	•				
Large	•	•	•	•			
Tall Hex							
Small	•	•					
Medium	•	•	•				
Large	٠	•	•	•			
Valley							
Small	•	•					
Medium	•	•					
Large	•	•					
X-Large	•	•					
Waveline + Waveline 3D							
	•						
Small							
Medium	•	•	•	•			
Large	•	•	•	•			

Specifications

BOX SETS

Xorel Artform is priced and sold in box sets of the same shape, size, substrate, fabric and color. Each box arrives to the job site securely packed and includes all installation and adhesive materials.

Ceiling Horizontal Suspension hardware is sold separately.

Fast Delivery: 4-8 week lead time.

Standard

3-6 panels/box

3D

3-4 panels/box

Baffle

3-6 baffles/box

Minimum order is 1 box.

Dimensional Orientation

Box sets of Hex, Waveline, and Square 3D panels include "handed" shapes which feature the dimensional element oriented towards either right or left. This attention to detail ensures that the specified Xorel fabric weave is wrapped along the panel in the same direction so that fit and finish are not compromised when changing panel orientation. Two of each handed shape are included in each box set.









Warranty

5 YEAR WARRANTY

We warranty Xorel Artform panels for a period of 5 years from purchase date. Any Xorel Artform panels that are defective in workmanship or materials (3M command strips, adhesive, velcro or ceiling suspension hardware*) will be replaced at no charge. The warranty does not cover:

(a) ordinary wear and tear; (b) damaged caused by mold or mildew; (c) unacceptable temperature/humidity variation; (d) improper use; (e) improper maintenance; (f) improper storage or handling; (g) any other damage or problem due to external causes unrelated to any Carnegie Fabric product defect.

*Correct installation method must be used for warranty to be in force. Panels must be used within standard industry limitations.

